Live the way you are — naturally individual: UNILUX wooden entry doors



WOODEN ENTRY DOORS OVERVIEW









Contents

UNILUX: Where quality is at home	4-5
All good things come in sixes: Brand advantages of UNIL	UX 6-7
The world of UNILUX wooden entry doors	8-9
UNILUX wooden entry doors: ExclusivLine	10-13
UNILUX wooden entry doors: HighLine panel doors	14-21
UNILUX wooden entry doors: HighLine frame doors	22-31
UNILUX wooden entry doors: JuniorLine	32-37
Design freedom in shapes and materials	38-43
Glass	44-47
Handles and Handles variants	48-57
Advantages and technical details	58-61
Protection and security	62-63
Overview	64-65
The reliability of a big name – Made in Germany	66-67

3







UNILUX

One brand. One promise.

Modern wooden doors only share a name with their "ancestors". Good carpentry and appearance alone is no longer enough, because energy efficiency, safety and functionality standards have increased dramatically to meet today's customer needs.

That's why all UNILUX wooden doors are development projects that demonstrate intelligence and complex engineering.

To be able to provide access to these masterpieces to more than just a select few customers UNILUX mass-produces them. That means it's possible for us to offer these unique wood products at a price that makes top quality affordable.

Where quality is at home - UNILUX

All good things come in sixes:

The UNILUX brand advantages

Brand advantage 1: Durability

Since we were founded, UNILUX has always used the highest-quality materials. Down to the finest detail: UNILUX wood products rely on high-quality coatings with UV blockers. The high-quality production and strict quality control guarantee that you will enjoy your UNILUX product for years.

Brand advantage 2: Freedom of design

Some things are a matter of taste. Thus, you can choose from three design lines (ExclusivLine, HighLine, JuniorLine), five fine woods (oak, spruce, pine, larch, eucalyptus grandis) as well as 189 colors and varnish wood shades (e.g. oak, mahogany, beech, walnut). Variety right from the factory.

Brand advantage 3: Energy balance

UNILUX's solid construction style not only guarantees durability, but also helps save energy. Each of our wooden entry doors also has a specially developed insulating core and thermally separated spacers between the glass panes. This results in better thermal insulation, more comfort near the glass and significantly less condensation formation in cold months. Each UNILUX entry door is glazed with at least one 40mm thick triple pane. This will further reduce heating costs.











Each one a masterpiece

The world of UNILUX wooden entry doors

Wood gives a feeling of wellbeing. A unique material that outlasts all fashions and has always inspired carpenters and cabinetmakers to craftsmanship. Us, too.

ExclusivLine: For the highest demands

No compromises! That's your motto. Because it is your dream house. Modern architecture meets the highest design standards. The matching door: ExclusivLine.

HighLine panel doors: The showpieces

We have developed this model series with great attention to detail. The combination of high-quality materials and refined engineering is your guarantee for a door that will demonstrate its quality every day.

HighLine frame doors: The classics


Our High Line frame doors are the epitome of a timeless design language. Designs that survive every trend and will continue to emit a perfect picture.

JuniorLine: The little big things

Small in price, big in performance – that's the idea behind the models in the JuniorLine. Door after door, they show that brand quality can be affordable.







UNILUX ExclusivLine entry doors

Style-defining. Future-looking. Unique.

Wood does not have to be rustic. The UNILUX ExclusivLine effectively demonstrates how a traditional material forms the basis for groundbreaking design. In style, it consistently goes its own way. It is oriented towards the pioneers of the avant-garde, creating an entrance that is a work of art.

If your entry door is the entrance to state-of-the-art architecture, then the ExclusivLine models are the perfect choice. You set the creative accent your dream home deserves.

Design in perfection: ExclusivLine.









Concrete look
with pilaster strips in stainless steel
Handle 7041 stainless steel

Oak old wood Vertical fiber course with pilaster strips in stainless steel Handle 7041 stainless steel

Illustrations partly with optional extras

Free choice:

What you see on every entry door photo is always just ONE design variation. In fact, there are countless design options. Depending on the model, you can choose between different types of wood, grooves, pilaster strips, RAL colors and much more. This is how a UNILUX door model turns into your own personal dream entry door.





Pine, vertical fiber course RAL 7016 and 7040 with pilaster strips in stainless steel, clear glass Handle 7090 stainless steel



Model 2405

Spruce, vertical fiber course with applications in slate look and pilaster, clear glass Handle 7090 stainless steel



Model 2404

Oak, vertical fiber course with pilaster strips in stainless steel Clear glass Handle 7041 stainless steel




Model 2406

Oak, vertical fiber course with applications in slate look and pilaster strips, design glass Handle 7041 stainless steel

Classic, of course:

Applications of slate slabs from the prehistoric times give your entry door a particularly individual touch.

Slate



Classic, modern:

Without concrete, architecture would have been inconceivable since Bauhaus movement. This application underlines modern architecture congenially.


Concrete gray & anthracite











UNILUX HighLine panel doors

Timeless. Balanced. Personal.

For a planner a house door may only represent a functional connection between inside and outside. But it's actually a lot more. It's the business card for your house. The visible access to your individual, unique home. That's why it should reflect your individuality, too, and show the world outside who you are.

HighLine panel doors are a virtuoso when playing with geometric forms. Because this style blends aesthetics with dynamics, it gives timeless architecture a powerful individual note.

Set accents: HighLine panel doors.







0ak Horizontal fiber course with pilaster strips in stainless steel Handle 7101 stainless steel



Model 2106

Varnished pine Vertical fiber course with pilaster strips in stainless steel Handle 7090 stainless steel

Model 2103

0ak Vertical fiber course with pilaster strips in stainless steel Handle 7090 stainless steel


Illustrations partly with optional extras



That little extra:

Horizontal pilaster strips are a design element that add extra structure and elegance to the entry door (see Models 2103, 2104 and 2106).

Pilaster strips









Spruce Vertical fiber course with fillets Design glass Handle 7090 stainless steel

Model 2109

Varnished pine Horizontal fiber course with fillets Design glass Handle 7093 stainless steel

Model 2107

Larch Vvertical fiber course with fillets Design glass Handle 7090 stainless steel

Strong in every thickness:

Choose between 2 frame depths (78 and 90 mm) and 3 sash thicknesses (78, 90 and 100 mm). Five strong connections that can withstand a lot.

Installation depth







Spruce Horizontal fiber course with applications made of metal and pilaster strips in stainless steel Design glass Griff 7093 stainless steel



Model 2110

0ak Vertical fiber course with ornamental grooves Design glass Handle 7093 stainless steel



Model 2111

Pine Horizontal fiber course with applications made of metal Clear glass Handle 7041 stainless steel

Illustrations partly with optional extras









Model 2115
.....
Larch
Vertical fiber course
Design glass

Handle 7003 stainless steel



Spruce
Vertical fiber course with
applications made of metal and
stainless steel ornamental grooves
Design glass
Handle 7003 stainless steel

Model 2113

Pine
Horizontal fiber course with applications
made of stainless steel
Clear glass
Handle 7041 stainless steel





Traffic white (RAL) Handle 7010 stainless steel



Model 2105

Lower panel and frame Silk gray (RAL), Top panel pearl white (RAL), Design glass Handle 7012 stainless steel



Model 2127

Pine green (RAL) Clear glass Handle 7001 polished brass



Model 2112

Blue gray (RAL) Clear glass Handle 7043 stainless steel



Model 2128

Traffic red (RAL) Pave white matt glass Handle 7017 stainless steel Stainless steel base (surcharge)





Model 2112
Basalt gray color



Model 2105

Anthracite gray color




Model 2102

Anthracite gray color







UNILUX HighLine frame doors

Original. Classic. Everlasting.

There are forms and colors that leave any fashion far behind. Designs that have lasted for decades or even centuries and will continue to do so in the future.

HighLine frame doors stand for a style that fits into the overall picture true to the original. It's a natural for renovations of older houses and for traditionally oriented architecture.

As beautiful as ever: HighLine frame doors.





Model 2218

Jatoba wood tone Masterligne glass Handle 7003 stainless steel



Model 2224

Purple red (RAL) Clear glass Handle 7002 stainless steel



Model 2206

Vermilion (RAL) Design glass Handle 7011 stainless steel

Massive appreciation:

Indestructible wood, tailored for perfect fit. A solid wood top layer is the icing on your highquality UNILUX entry door.

High quality solid wood







Pine Clear glass

Handle 7002 stainless steel



Model 2201

Pine

Clear glass

Handle 7002 stainless steel

Our tip for you:

Selecting a striking handle provides the design of your dream door with its visual completion.

Handle





Model 2210

Walnut wood tone Baroque white glass Handle 5000 polished brass



Model 2212

Concrete gray (RAL) Madras Flos glass Handle 5000 polished brass



Model 2213

Platinum gray (RAL) Clear glass Handle 5000 polished brass

Incidence of light:

You can determine light, transparency and atmostion of ornamentat glass patterns.







Model 2304 Moss green (RAL) Ice flower glass Handle 5004 polished brass



Model 2222 Fir green (RAL) Clear glass Handle 7011 stainless steel



Model 2304 Moss green (RAL) color



Model 2227

Black blue (RAL) Design glass Handle 7000 polished brass



Model 2228

Wine red (RAL) Clear glass Handle 7001 polished brass



Model 2230

Light gray (RAL) Baroque white glass Handle 7001 polished brass







Model 2302 Slate gray (RAL) Clear glass Handle 6002 polished brass







Traffic white (RAL) Clear glass Handle 5004 polished brass

Model 2303

Wine red (RAL), Design glass Handle 5004 polished brass



Make it difficult for burglars. With the RC2tested doors, you and your family can gain extra security.

RC2 test







Model 2208 Iron gray (RAL) Niagara white blank glass Handle 5000 polished brass




Model 2209
Moss green (RAL) Baroque white glass Handle 5000 polished brass without glass strips outside









UNILUX JuniorLine entry doors

Attractive. Cute. Great price.

Confident performance, modest pricing. Like its two brothers ExclusivLine and HighLine, the JuniorLine is made of high-quality wood. It's attractive for its familiar quality, mature technology and fresh design.

You have a choice of four different handles, four different glass styles and all colors.

With the JuniorLine you get an original UNILUX entry door at a very cost-effective price you won't need to compromise.

Brand quality that doesn't cost the world: JuniorLine.





Model 2011

Red brown (RAL) Handle 7010 stainless steel



Model 2015

Iron gray (RAL) Master carré glass Handle 7002 stainless steel



Model 2016

Cobalt blue (RAL) Clear glass Handle 7002 stainless steel



Model 2011 Perlbeige (RAL) color





Model 2018 Ruby red (RAL) Master carré glass Handle 7002 stainless steel





Beige (RAL) Clear glass Handle 7002 stainless steel




Model 2023

Traffic white (RAL) Master carré glass Handle 7012 stainless steel





Model 2015 Iron gray color



Model 2011

Anthracite gray color



Model 2023

Traffic white color







Just like you

Your dream door from UNILUX

UNILUX doesn't make you go by the book. Every entry door is a unique production in which you determine not only the model, size, wood, and color, but also all the details.

Special light cut-outs, optional sidelights and transoms allow you to set individual accents. Even the selection of the glass and the handle expresses your entirely personal, unique taste.

Thanks to this wide variety of options every UNILUX door has individuality built in at the factory.






Design freedom in shapes and materials

Seated as though it were cast there

How large should a house door be? On which side must it open? Is one leaf better or two? And how much daylight should the door let in? These are questions that everybody will answer differently.


That is why you not only get our mass-produced UNILUX house doors in your personal length and width preferences, but also in the fittings of your choice. For example, with one or two flanking sidelights and transoms. Elements that highlight your door and set additional design accents.



Let there be light

Entrances don't have to be pitch-dark. With light cut-outs in your house door, glazed sidelights and transoms let brightness into your hallway even without lamps.

That makes your entry more livable. Light, home-delivered by nature.



Light cut-outs

Rectangle or triangle? Symmetric panels or sweeping curves? With the light cut-outs, too, you have all the options you're used to getting from UNILUX.

Variety for more individuality.







More than bright

Not all glass is the same. Think for a moment how versatile this familiar material can be. From simple ornamental glasses to striking designer glasses.





















A handle on design

Curled brass or straight-forward stainless steel? Historical classic or minimalistic modern? Every UNILUX handle isn't just a rock-solid piece of workmanship, it's also a visual gem expressing your taste and your style.



Base

For many models you can get an optional robust stainless steel guard.

Freedom of design in terms of material and color




Life is colorful

Every UNILUX door matches your house not only in terms of architecture, but also color. The selection of colors and color variants leaves nothing to be desired.

Ask your UNILUX retailer for color fans. That gives you confidence that your favorite red (or favorite gray, or favorite blue etc.) will work on your house door.

And you can select from 15 semitransparent glazes and about 200 covering RAL color paints. For the wood itself you can choose between the robust species of pine, larch and exotic wood.


This fits your entry door harmoniously into the architecture of your house.







Choose from the following wood species: Oak, pine, larch, eucalyptus grandis and spruce along with 20 glazing tones. Your UNILUX specialist dealer will be pleased to advise you on which glaze colors can be used on the respective types of wood.






Glass-clear style

Glass and glass variants


Glass is a special material that lends every door its particular individual tone. We offer entry door glass that could hardly come in more variety – and we have individual design suggestions for every door. This permits you to express your personal style even when selecting the glass.

UNILUX glasses are attractive because they let natural light in while still leaving the view of strangers outside. Each of our ornamental and design glasses is proof that beauty and functionality aren't mutually exclusive.

UNILUX - glass can be so unique.











A handle on aesthetics

Handles and handle variants

A door handle has to be tough – not everyone puts on their silk gloves to handle it. That's why robustness is the basic requirement for a good handle. But not only material resistance is important to us, but also the visual.


A UNILUX door handle looks inviting at all times. It complements the architecture and is the dot on the I of a representative door.

Good feeling in the hand, attractive appearance – door handles from UNILUX.





Standard equipment



These handles are available at no extra charge







L 600 mm L 600 mm



7003 (S) L 600 mm



7085 (S) L 600 mm



7086 (S) L 1.000 mm



7090

7083

L 330 mm



L 400 mm



4000^{*} Alu silver



4001* Alu silver



4004* Alu silver



Alu silver



Outer escutcheons

Optionally, equip your door with a drilled round escutcheon or an attached escutcheon. For this you have these different designs as default.



3000

steel

matt

stainless



3002* bronze Old German



3003* brass polished



3005* stainless steel matt



3007*Alu silver



3008* brass polished

2204

brass polished, +



3011 301 stainless stain steel steel matt matt

2300° 🗆

matt, +

stainless steel

2301* 🔲

matt, +

stainless steel



3012 3013 stainless steel steel matt matt



stainless steel matt

Interior handle

The standard equipment (S) includes a door leaver on the inside that you can choose from 20 different designs'. For more individuality the handle package + offers additional colors.



2203* O

Alu silver, S

 \bigcirc = round, \bigcirc = oval, \square = angular

2200

polished brass, S

2014

matt, S


stainless steel

Handle package +


The package for handy accents

This handle package provides you with a diverse selection of outer handles in three stages. You can choose between short handles, long handles and handles with a special feel. Of course, you will also find the matching outer escutcheons and the range of internal presses at UNILUX.

Components of handle package +



L 400 mm



 $L \le 1.500 \text{ mm}$

L 800 mm

L 800 mm



7012

L 330 mm

7088 (S)

L 350 mm

7033 (S)

L 400 mm



Handle package ++

Slim look and special feel

With the three handle packages you determine the optical effect of your entry door. While the Package + contains modern and classic, functional handles, the Package ++ offers selected long handles over almost the entire door height as a design element, supplemented by selected short handles.


Components of handle package ++

Can it be even more valuable? With this package you can choose from numerous outer and interior handles, which convince in form and function.



*available in various versions.
(S) = slanted





Handle package +++

Package +++ fulfills your desire for an unique entry door experience through various applications and the highest quality materials. No matter which package you choose: Already at the first touch of the handle you feel the value and stability.

Components of handle package +++

A dream. You can expect perfectly shaped outer handles, which give your door a unique feel and value.



(S) = slanted











Advantages and technical details

Equipment in focus

It's easy to talk about quality. But what does it actually mean? The following photos give you an idea of what is behind the style-defining UNILUX designs - namely solid workmanship.

The cross-sections and macro shots also make the interior of our entry doors transparent. This way, for example, you can recognize the difference between different frame installation depths or between a solid wood top layer and a plywood top layer.

Your UNILUX dealer would be happy to show you more details – after all, he is our partner when it comes to quality.

Advantages and technical details

The details make the difference.



Variable door thicknesses

Two frame installation depths (78 and 90 mm) with three sash thicknesses (78, 90 and 100 mm) allow for five different combinations, one of which is flush on the outside.




Glass stops

It pays to pay attention to details. Thanks to the type of glass strips integration - rustic rebated, diagonally rebated or straight flush-mounted - you can influence the visual effect (options available for almost all doors).




Optional solid wood top layer

Using this top layer, you can upgrade your entry door (in comparison: plywood on the left, solid wood on the right).



Variable frame thicknesses

You can choose between 80 and 130 mm (in 10 mm increments) at the side and top.



Threshold 78, 90, 100, edged

You can choose the threshold according to the sash thickness (78, 90 or 100 mm).

•••••





Solid wood insert in the glass rebate

Concealed nailing of the glass stops is possible on all panel doors - this benefits the overall visual impression.



3 gaskets

All good things ... Three seals (stop, middle, overlap) make your entry door bulkhead tight.



Concealed or accented hinges

In many constructions (up to 150 kg), the stainless steel hinge can be concealed. Or you can emphasize it by setting accents with one of 3 paint colors.



Drop-down seal

No whistling here! Thanks to the lowering seal, there is not even breeze between the door and the floor.

Further details at a glance:

- Wet glazing inside and outside for a better color matching with the wood
- · Enlargement profiles of 25 and 50 mm
- · RC2-tested

Protection and security

Not popular with burglars

Burglars are under time pressure. The more obstacles you can put in their way, the quicker they'll give up. That's why at UNI-LUX we don't just think about design and comfort, but also about security systems and locks. And these – as we demonstrate in the serious approach we take every day – aren't something you should save on.

Good to know: Even in their standard version, UNILUX house doors have effective security mechanisms. We also offer add-ons that take these already-high mass-produced security standards and reinforce them even more.

This is UNILUX's contribution to making sure that unwelcome guests don't even get in the door.







Massive door frame with continuous one-piece striker plate

When it comes to security, a lot actually helps a lot. The more massive a door is, the more resistance it has against an attacker. With thicknesses of up to 79 millimeters, our doors provide robust natural protection against burglar.

All our models includes for a continuous onepiece striker plate. In practice this means: Since the locking generally engages firmly into that striker plate, the potential criminal has to break the entire bar out of the decorative frame – and that's a massive amount of extra work. This obstacle significantly raises the bar for burglars.

Safety glass

Thanks to a specially developed highly crack-resistant polycarbonate film, the optional safety glass stays inside the sash even when it gets heavily hit – good for you, bad for potential break-ins. By the way, the impact-resistant P2A safety glass from UNILUX has been certified by the German National Authority on Fire Arms and Ammunition.

Door catch

More effective and elegant than door chains.

The optional door catch provides additional locking from inside and also acts as a stop when the door is only opened a crack. In case of an undesired visitor, it therefore makes it impossible to get a foot between the door and the frame.





ExclusivLine entry doors



Page 12 Model 2400



Page 12 Model 2401



Page 12 Model 2402



Page 13 Model 2403



Page 13 Model 2404



Page 13 Model 2405



Page 13 Model 2406

HighLine panel doors



Page 16 Model 2103



Page 16 Model 2104



Page 16 Model 2106



Page 17 Model 2107



Page 17 Model 2108



Page 17 Model 2109



Page 18 Model 2110



Page 18 Model 2111



Page 19 Model 2113



Page 18 Model 2114



Page 19 Model 2115



Page 19 Model 2116



Page 20 Model 2127



Page 20 Model 2128



Page 20 Model 2102



Page 20 Model 2105



Page 20 Model 2112



HighLine frame doors



Page 24 Model 2218



Page 24 Model 2206



Page 24 Model 2224



Page 25 Model 2200



Page 25 Model 2201



Page 26 Model 2210



Page 26 Model 2212



Page 26 Model 2213



Page 27 Model 2304



Page 27 Model 2222



Page 28 Model 2227



Page 28 Model 2228



Page 28 Model 2230



Page 29 Model 2302



Page 30 Model 2303



Page 30 Model 2226



Page 31 Model 2208



Page 31 Model 2209

JuniorLine entry doors



Page 34 Model 2011



Page 34 Model 2015



Page 34 Model 2016



Page 35 Model 2018



Page 36 Model 2022



Page 36 Model 2023

The reliability of a big name



UNILUX ensures award-winning long-term progress

- by selecting the right partners and raw-material suppliers, and by being a member of leading institutions and associations:













UNILUX products meet international test and safety standards:













Company info

Publisher

UNILUX GmbH 54528 Salmtal / Germany Telephone +49(0)6578/189-0 Facsimile +49(0)6578/1880

Email info@unilux.de www.unilux.de

Notes

The content of this catalogue is not legally binding and may be subject to technical changes as part of further developments or errors in the text, images or descriptions. We only allow images and text material – including excerpts – to be used upon request, and with our express written consent.

The image material used is for illustrative purposes. Differences in colour are unfortunately unavoidable due to printing. The sample illustrations are not to scale.

© 2019, UNILUX GmbH. All rights reserved.



UNILUX headquarters, Salmtal

UNILUX GmbH 54528 Salmtal / Germany

Telephone +49 (0) 65 78/189-0 Facsimile +49 (0) 65 78/18 80

Email info@unilux.de

